


Baby Leggings



To begin with...

- ✦ Please read all instructions carefully, before beginning to cut or sew. I have included a 1/4 inch (6 mm) seam allowance in all my patterns, however if you require any help or have any questions please feel free to contact me at my etsy shop, by email on: enquire@frianki.com , online at www.frianki.com or on facebook www.facebook.com/frianki.
- ✦ I try to take all care for my patterns to be universal, but I suggest a muslin be made up first, before you cut the pretty or expensive fabric you want for the final product. A muslin is basically that - using a cheap fabric to make a test first.

Supplies needed...

- ✦ Fabric - anything with stretch - I used a Jersey Ponte.
- ✦ Matching Thread
- ✦ Sewing Machine
- ✦ Elastic - 3 cm wide
- ✦ Elastic - 1 cm wide

Sizing/Measurements...

- ✦ This pattern comes in sizes 000 to 2. See the below chart for the finished garment measurements to which size suits you.

	Size 000 (3 Months)	Size 00 (6 Months)	Size 0 (12 Months)	Size 1 (18 Months)	Size 2 (24 Months)
Finished Pant Overall Length	35 cm	38.5 cm	45 cm	47.5 cm	52 cm
Suggested Ankle Elastic Length	15 cm	16 cm	17 cm	18 cm	19 cm
Suggested Waist Elastic Length	29 cm	30 cm	31.5 cm	33 cm	35 cm

Conditions...

This pattern is © Frianki 2014. This pattern can be used for personal applications, but not commercial use. Mass production, file sharing or reselling of this pattern is not allowed without express written permission from Frianki. All patterns are designed and made by me, all are original designs and patterns. Please credit Frianki as the pattern source, and link to the pattern, if resulting clothing is shared online.



Step 1

- Print off & cut out your pattern pieces from the PDF file sent. Remember to select A4 size paper (210mm x 297mm).
- Pin pattern to your fabric as per the instructions on the pattern pieces.
- In this case you should have just two pant pieces.





Step 2

- Place the pieces on top of each other, wrong sides together, matching the front seam to the front seam, etc. Sew the front crotch seam together, then the back crotch seam, as close to the edge as possible (3mm). Then turn the piece inside out and sew again, encasing the raw edge, to create a french seam for the crotch.
- Repeat the french seam with the curved inseam (inside the leg).





Step 3

- Fold the top of the waist down 6 mm and press. Then fold again 3.5 cm down and press. Sew along the bottom of the pressed line.





Step 4


- Leave a small opening and insert elastic, and then sew shut.



Step 5

- Fold the bottom of the leg down 6 mm and press. Then fold again 1.5 cm down and press. Sew along the bottom of the pressed line.
- Leave a small opening and insert leg elastic, and sew shut.
- Repeat for other leg.
- Then you're done!





frianki
DESIGN
Leggings
Cut 2

2

Cut on Fold

To be attached to
Pants Back
SIDE A

To be attached to
Pants Back
SIDE B

